


prepared for: **Bee Active
CBD LLC.**

10mg 30 Count CBD Isolate Pet Treats

Batch ID:	IU27182	Test ID:	T0002336827
Type:	Unit	Submitted:	10/14/2025 @ 10:12 AM
Test:	Potency	Started:	10/16/2025
Method:	TM14 (HPLC-DAD)	Reported:	10/16/2025

CANNABINOID PROFILE



CBD 11.42%

CBDa 0.00%

delta 9 THC 0.00%

THCa 0.00%

Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	41.08	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	46.36	ND	ND
Cannabidiolic acid (CBDA)	51.44	ND	ND
Cannabidiol (CBD)	50.16	342.6	11.42
Delta 8-Tetrahydrocannabinol (Delta 8THC)	51.05	ND	ND
Cannabinolic Acid (CBNA)	29.24	ND	ND
Cannabinol (CBN)	13.37	ND	ND
Cannabigerolic acid (CBGA)	42.85	ND	ND
Cannabigerol (CBG)	10.25	ND	ND
Tetrahydrocannabinarinic Acid (THCVA)	36.23	ND	ND
Tetrahydrocannabivarin (THCV)	9.32	ND	ND
Cannabidivarinic Acid (CBDVA)	21.46	ND	ND
Cannabidivarin (CBDV)	11.86	ND	ND
Cannabichromenic Acid (CBCA)	16.51	ND	ND
Cannabichromene (CBC)	18.05	ND	ND
Total Cannabinoids		342.6	11.42
Total Potential THC**		ND	ND
Total Potential CBD**		342.6	11.42

NOTES:

of Servings =30, Sample Weight=28g

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa *(0.877)) and

Total CBD = CBD + (CBDa *(0.877))

ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

	Karen Winternheimer 16-Nov-2025 11:59 AM		Sam Smith 16-Nov-2025 12:01 PM
PREPARED BY / DATE		APPROVED BY / DATE	

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc. warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02