


3000mg CBD Isolate Morning Drops

Batch ID:	MD31009	Test ID:	T000269553
Type:	Unit	Submitted:	02/01/2024 @ 11:41 AM
Test:	Potency	Started:	2/1/2024
Method:	TM14 (HPLC-DAD)	Reported:	2/5/2024

CANNABINOID PROFILE



CBD 11.79%

CBDa 0.00%

delta 9 THC 0.00%

THCa 0.00%

Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	68.41	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	77.21	ND	ND
Cannabidiolic acid (CBDA)	95.18	ND	ND
Cannabidiol (CBD)	92.80	3301.02	117.9
Delta 8-Tetrahydrocannabinol (Delta 8THC)	85.01	ND	ND
Cannabinolic Acid (CBNA)	48.69	ND	ND
Cannabinol (CBN)	22.27	ND	ND
Cannabigerolic acid (CBGA)	71.36	ND	ND
Cannabigerol (CBG)	17.07	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	60.34	ND	ND
Tetrahydrocannabivarin (THCV)	15.53	ND	ND
Cannabidivarinic Acid (CBDVA)	39.71	ND	ND
Cannabidivarin (CBDV)	21.95	ND	ND
Cannabichromenic Acid (CBCA)	27.50	ND	ND
Cannabichromene (CBC)	30.06	ND	ND
Total Cannabinoids		3301.02	117.9
Total Potential THC**		ND	ND
Total Potential CBD**		3301.02	117.9

NOTES:

of Servings = 1, Sample Weight=28g

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa *(0.877)) and

Total CBD = CBD + (CBDa *(0.877))

ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

Sam Smith
5-Feb-2024
12:21 PM

Samantha Smith

Karen Winternheime
5-Feb-2024
12:23 PM

K Winternheimer

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017

Accredited A2LA Certificate Number 4329.01



Certificate #4329.02